بسم الله الرحمن الرحيم

Gi final

•	-so2al treatment for h.pylori infection triple therapy
	-so2al 3n shigellaresistant to bile salt
	- so2al 3an elly bekoon elo Ab kol hadool ella :calcivirus
	-so2al 3n men mn el hepatitis b7dth m3 hepatitis BD
	-so2al 3an el Sushi-raw fish- D.latum
	-*perianal itching, especiallay at night: enterbios
	-*shigella : 1) lactose fermenting
	2) gram postitive bacilli
	3) motile
	4) anorobic
	5)resistant to bile salt
	-*rimatidene is
	1)less effective than cimetidene
	work as histamine receptor antagonist metabolised fully in liver.
	metabolised fully in liver ———
	5)
	S)
	-*the drug wich is used prophylactic for treveler diahrea is :
	-* all palatal muscles are supplied by pharyngeal pelux except : tensor veli palatine
	-so2al 3an el muscles of the tongue which causes depress and retract of tongueAnt. Geniglossus
	-so2al 3n shistosomaisis kef bt7dthby swimming
	-Bulk forming agents : hydrophillic
	-which is true about H.pylori >it produces mucinase and phospholipase which distrupt the mucosa
	-lactouse intollearnce: 0-20
	-case bel Bcm- be6l3 jawabo "gilbert synd"
	-el presistant diarrhea : more than 14 days
	- which hormones of the following act mainly on the bile duct :
	1- secretin
	2- cck
	3- gastrin
	4-isulin
	-acetaminophen eshe elo 3ala8aa bel N-acetylsystiene
	-the drug given in traverler's. diarrhea I think its lopromide
	- the doudeneal acid is neutralized by :
	1- pancreatic juice 2- bile salt
	3
	4-
	-anatomy:not part of interperitoneal organs: duodneum
	- all infect human through dogs and pigs except > A.lumbrecoid
	- pernicious anemia: decrease in intrinsic factor
	-vit B12 absorbed in ileum
	-one of the following is not an organ from foregut
	1- trachea
	2- stomach
	3- liver
	4- gall bladder
	-so2al 3n maw8e3el oropharynx >C3and upper half of C3
	-Giardia lambillia : Foul smelling dysentery

- -fe s2al 3n el unconjugated ... jawabo hemolytic
- -fe so2al physio sho el incorrectnacl lubricant
- -E.histolytica trophozyte is diagnsosed by: ingested RBC
- which is true (in patho)> kan elgawab enno in appendecitis the muscularis mucosa is infeltrated with lymphocytes as i think ...
- -all of the following are correct for crohn disease except
- 1- cobblestone appearance
- 2- x-ray show string ring
- 3- non cessating granuloma
- 4- it can affect the GIT from the mouth to the anus
- -Perianal itching, seat itching,E.vermicularis
- -fe so2al 3n el Ranitidine > the correct is that it can be used in combination with antibiotics to eradicate H.pylori infection
- -fe so2al 3an eshe 3'ala6 micro eno bekkon TROPJOZYTE BEL STOOL NASE AYA wa7deh blzb6 -one of the following is not a cause of hepatic cell carcinoma :
- 1- cirrhosis
- 2- hemochromatosis
- 3- _____
- 4-
- -which is incorrect about lesser sac mo met2kdeh bs kenno el jawab enni its related posteriorly to diaphragm
- -all of the following supplied by pharyngeal plexus expect ...tensor villi
- -The junction of the ampulla of vater (hepatopancreatic ampulla aish bekwnha)
- -eshe 3an el caudate lobe aw quadrate lobe mertb6 ma3 ligamenetum teres aw ligamnetum venosum
- -Levels of the oropharynx mohmeeen !!!
- -saliva:imp for Antiseptics
- -all true about cure cholestrol stone except : caused by hemolytic anemia
- -sublingula: false: inf. to geniohyoid
- -the stomach mucosa mokawaneh me 3 layers >> internal oplige middle circular outer longitudinal
- -fe so2al 3n sho elle b3ml depress and retract tip of tongue ...anterior genioglosus
- -the villi in the small intestine is composed from
- 1- mucos
- 2- mucos and submucos
- 3- epithelia and lamina propria
- 4- lamina propria
- -all are formed from distal foregut except >> trachea
- -levesl of ESOPHAGUS ALL OF THEM + cardiac orifice levesl+pylroic+FUndus of gallbladder VERY IMP .mid +final
- -so2al bel mid 3an el peritoneum.....OPEN IN FEMALES
- -Realtions of the stomach.....and trachea and duodenum IMPORTANT !!!!! MID +FINAL
- -the inferior anal canal is supplied by : inferior rectal nerve
- -Realtions of anal canal....female and male
- -so2al which is incorrect anatomy ...eno peritoneum completely covers the gallblader
- -C.M >>all are applied to decrease mortality of diarrhea ,except ..

I-ron is absorbed in the duodenum.

- -@Vitamin B12 (Extrinsic factor) and bile salts are absorbed in the terminal ileum.
- -@ Water and lipids are absorbed by passive diffusion throughout the small intestine.
- -@ Sodium bicarbonate is absorbed by active transport and glucose and amino acid co-transport.
- -@ Fructose is absorbed by facilitated diffusion.
- -which organ has two different embryological origin?

i think the answer was the pancreas

- -all true about psc except
- 1- its associated with increase the risk 10% for (hepatocellular carcinoma)
- 2- it has onion shape appearance

3
4
-kan fe so2al biochem about phasell of drug metsbolism in the livet :1-conjugation with glucoronide 2 oxidation by P450
-* give you the rates of billirubin and alt and ast and alp and you should know the disease , (also you
should know the normal to answer this question)
-incorrect about PBC >> 80% of patients have elevated serum level of antinuclear cytomplasmic
antibodies
-incorrect about PBC >> 80% of patients have elevated serum level of antinuclear cytomplasmic antibodies
-which of the following drugs act at the pore of the ucler :-
sucralfate
-fee so2al patho about the true statement regarding PSC >> bt-thkkar men el5ayarat enno PSC occurs with IBD particularly UC , 70%if patients with PSC have chronic UC , but conversely only 4% opatients with UC have PSC (or something like that)fe so2al what make the villi ? **lamina propria and epithelia
about soonborus all of the following are correct sourcest.
-about esophagus ,, all of the following are correct ecxcept : **it is in contact with the cervical pluera on each side.
it is in contact with the cervical pluera on each side.
-fe so2al 3an shictosomiasis:
** the most common to get infected by swimming in lakes
-fe so2al which of the following about saliva is correct :
1-it has antiseptic effect
2-it's important for starch digestion
mo met2akked men el jawab bs k2no (2)
-fe so2al kan 3an el tarteb muscularis externa of the stomach :
longitudinal-circular -oblique
-which of the following is appropriate culture for vibrio cholera: thiosulfate citirate bile
-which of the following about giardiasis :
1-intestinal distention
2- sudden diarrhea
3-low-grade fever whit foul-smelling stool **
-aja so2alen 3an el anal canal bs naseehom
-muscles of the palate are supplied by pharyngeal plexus except :
tensor villi palatani -site for absorbtion of v. B12:
illeum
-the rarest complication of cholecystitis is :
adenocarcinoma of gallbladder
-the histological view we see in acute liver failure :
massive necrosis
-a patient came to you he is 13 years old you take a blood sample and the results was AP 180 , AST
normal , albumin 4.5
el jwab b6la3 post hepatic jaundice
-) pernicious anemia is due to
intrinsic factor deficiency -in lactose intolerance glucose levels is
0-20

-all of the following are phase 1 except:

oxidation by cytochrome c oxidase

- -fe so2al what make the villi? mucosa and submucosa Dr-Raja
- -all of these muscles innervated by pharyngeal plexus except :

tensor veli palatine

-Which one of the following we use it in traveler diarrhea

Lepromide

- -The major factor that protects the duodenal mucosa from damage by gastric acid is is pancreatic bicarbonate
- -All the following are predisposing causes of

occlusiv bowel ischemia and infarction except: SHOCK

-the following are major causes of intestinal

obstruction Except :: carcinoma

- -All are true of ulcerative colitis except : there are noncessating granuloma ...
- -tthe following statements are correct except: there is a constant relationship between hepatic alcoholic steatosis etc
- -fe so2al kan bel anatomy:
- -the superior constrictor seperate the capsule of tonsils from ?

k2no el facial artery

- the rarest complication of gall-stone in the
- -Gallbladder is: CARCINOMA OF THE GALLBLADER
- -hepatitis D with B
- -The posterior wall of the oropharynx lies on :

Body of C2 & upper half of body of C3.

- Diffuse type of gastric carcinoma occurs more in

association with all the following EXCEPT: Hyperplastic polyp