

1. the most common fatal liver disease is biliary atresia
2. one of the following condition is not associated with malignancy i guess it was aphthous ulcer
3. the major risk factor that lead to oral leukoplakia and SCC is pipe smoking and smokeless tobacco
4. SCC : 50% of it occurs in middle third of esophagus
5. one of the following is true: the life time risk for developing PU 10%
6. all correct except: in appendicitis there is lymphocytic infiltration in muscularis propria
7. all of the following give pure cholesterol stones except hemolytic disease
8. all of the following z correct abt celiac disease except: it z defective intraluminal digestion
9. Q abt complications of CD
10. ascites is clinically detectable when at least 500 ml has accumulated
11. kayser fleischer rings ---> deposition in decement membrane
12. ý70% of PSC is associated with which of the following---> UC
13. all of the following z true except: cavernous hemangioma is a common tumor in child bearing women, and who take oral contraceptive
14. the most common cause of chronic pancreatitis is long term alcohol abuse
15. the rarest cause of death in patients with cirrhosis is hemorrhoids
16. all of the following cause acute abdomen except esophageal reflux

17. the organism in canned food is clostridium botulinum
18. the causative agent of shigellosis is shigella
19. HCV----> most commonly is transmitted in post-transfusion
20. proglotids---> tinea saginata
21. the cyst of E.histolytica is different from other histolytica i guess by # of nuclei bt not sure
22. the type of GLUT that is expressed in langerhan cell is GLUT-2
23. one of the following has the least osmotic pressure---> i guess glycogen
24. anatomy bt not sure.. all the following is true except: rectovesical pouch is related anteriorly to the rectum in both males and females
25. all the following is correct related to the stomach except: the fundus is the site of gas accumulation and it affects the r8 lung - not sure, bt lmfrood affect left lung
26. post 1/3 of the tongue the nerve that's responsible for sensation is glossopharyngeal nerve
27. all of the following structures are located within the parotid gland except internal jugular vein
28. all of the following is true abt appendicitis except the pain radiates around the umbilicus at the level of T8 or sth like this
29. all of the following z true except : the parotid z responsible for 60% of total saliva output
30. the prophylactic anti-diarrheal agent is loperamide
31. all of the following matching except tegaserod- stimulant laxative

32. non invasive test 4 helicobacter pylori >>>> igA

33. delta agent >>>> incomplete RNA virus

34. hakuri >> rotavirus

35. beshbah I HAV >> HEV

36. a structure that's not involves in spread of infection from cholecystitis >> 3rd part of duodenum

forgive us for any mistake , GOOD LUCK 😊

Esra'a Al-Amer