GI final exam

- 1) which statement is wrong about Hymenolepis nana :
 - A) has an intermediate host ***
- 2) all of the following about Balantidium coli is true except :
 - A) causes liver abscess ***
 b)produce dysentery like E.histolatica.
 c) cause liver abscess.
 d) have cytosome
 e)hogs as a reservoir
- 3) A child has vomiting and suffering from constipation and weight loss , which of the following conditions the child most probably have it :
 - A) atresia in the esophagus
 - B) atresia in the doudenum
 - C) atresia in the pylorus ***
 - D) atresia in the anal canal
 - E) anyone from above can be right.
- 4) A causal relation is commonly between which of the matches below.

A) reflux esophogitis === columnar metaplasia ***

- 5) the most common abnormality in the small intestine?
 - A) .hirschsprung
 - B) meconium ileus
 - C) mecomium ileus
 - D) another condition *** (It is Mickles Diverticulum).

6) about V.parahaemolyricus:

a-gastroenteristis b-rarely produce sepsis c-contamination through wounds d-a and b e-b and c

- 7) a surgeon drain an abscess formed in ano-rectal junction, he done a mistake. and the patient suffered from incompetence :
 - a- superficial part of external sphincter
 - b- subcutaneous part of external sphincter
 - c- internal anal sphincter
 - d- puborectalis muscle ***
 - e- anococcegus muscle
- 8) which of the following is not true about pancreas:
 - a- uncinate process is found between aorta ans superior mesentearic vessels
 - b- splenic artery pass on its superior border
 - c- splenic vein pass on its posterior surface
 - d- transverse mesocolon attach to its inferior border ***
- 9) which is wrong about the common bile duct:
 - a- descend in the free edge of the lesser omentum
 - b- anterior to head of pancreas ***
 - c- open in the 2nd part of duodenum independent of pancreatic duct
 - d- pass behind the 1st part of duodenum
- 10) What is wrong about the anal canal:A) in internal hemorrhoid a branch of inferior rectal vein is involved ***
- 11) What is wrong about the esophageal varices.A) a branch of the right gastirc anastomoses with a systemic branch
- 12) kayer-fleischer rings occur in which of the following disease: A) wilson disease.***

- 13) all of the following contribute to ascites except:
 - a- sinosoidal hypetension
 - b- hypoalbuminemia
 - c- increase thoracic duct flow.
 - d- hyperaldosteronism
 - e- cellular swelling. ***
- 14) all of the follwoing are associated with portosystemic shunt, except:
 - a- hemorrhoids
 - b- esophegeal varices
 - c- caput medusae
 - d- hepatosplenicl shunt ***
 - e- retro-peritoneal shunt

15) which of the following is wrong about carcinoid:

- a- most common in the colon ***
- b- appendicular carcinoid don't metistasis
- c- they are secretors of bioactive substances
- d- mostly due to seretonine secretion
- e- behavior depend on the location
- 16) about colorectal cancer, which is wrong:
 - a- more in males
 - b- more common on the right side
 - c- NSAIDs are protective from them
 - d- genetic and environmental factors.
- 17) Which of the following have the highest risk of malegance:
 - a) villus adenomas ***
- 18) about juvenile polyps, which is wrong:
 - a- associated with rectal bleeding.
 - b- large and benign
 - c- affect both sexes
 - d-mostly is ascending colon
 - e-
- 19) all of the following differentiate ulcerative colitis from chron's except:
 - a- associated with granulomas ***
 - b- no transmural thickening
 - c- high rate of malignancy
 - d- continuous lesions

20) which of the following is not true about chron's disease:

- a- skipping lesions
- b- string sign
- c- more in white than non-whites
- d- assocaited with fissures and fistulas
- e- result in episodes of vomiting and constipation *** (Diarrhea)

21) which of the following is not true about peptic ulcer:

- a- the most common location is the pyloric antrum
- b- no sex predilection
- c-male to female ratio is 2:1
- d- ...
- e- ...

22) which is nor true about acute stress ulcer:

- a- can be caused by burns.
- b- small in size
- c- mostly multiple
- d-related to H.pylori infection

e-....

- 23) a six week old infant present with projecting vomits, constipation, and weight loss. which of the following can produce these symptoms:
 - a- pyloric stenosis ***
 - b- duodenal stenosis
 - c- anal stenosis
 - d- esophegeal stenosis
 - e- any of the above can cause those symptoms
- 24) plummer- vinson syndrome composed of anemia, glossitis, and which of the following esophageal abnormality:

a) webs ***

- 25) all of the following are predisposing factor for pancreatic carcinoma, except: a- smoking
 - b-chemical carcinogenic
 - b-diabetis mellitius
 - c- chronic pancreatitis
 - d-migratory thrombophlebitis
 - e-K-Ras mutation.

- match the drug with the adverse effect
 - 26- cimetidine 27-Al (OH)3 28-coricosteroid 29-lubricant laxative 30- Codiene

a-drug interaction b-constipation c-interfere with vertical growth d- lipoid pneumonia e-addiction

(26-a 27-b 28-c 29-d 30e)

- match the drug with its use 31-omeprazole 32-ondansetron 33-loperamide 34-castor oil 35- "omitted"
 - a- peptic ulcerb-antiemeticc-antidiarrheald-laxativee-antiasthmatic (Omitted question)

(31-a 32-b 33-c 34-d 35-e)

- 36- about Omphalocele, which is wrong:
- a- herniation through umbilical ring.

b-covered by amnion

- c- associated with chromosomal abnormality
- d-have low mortality rate ***
- e- result of unreturned physiological hernia.

37- which of the following don't mark recovery from HBV infection:

a- extreme old age infection ***

b- appearance of HBc-IgM in the serum

38- about viral gastrointestinal infection, which is wrong:

a- incubation period is 24-48 hours ***

b- produce diarrhea and fever, with no vomiting

c- rota-virus cause infection early in life.

d-norovirus has more than one mode of transmission

e-adenovirus result in sporadic cases.

38- about hymenolepis nana, which is wrong: a- dwarf tapeworm

b-have intermediate host ***

c-eggs have 2 membranes

c-eggs have polar filaments

d-release onchosphere

39- about clostridium difficiles, which is wrong:
a-areobic spore forming bacilli ***
b-nosocomial infection
c-pseudomembranous colitis
d-found in 5-20% of population
e-....

40- about campylobacter jejuni a-lives in 42 c b-.... c- cause sepsis and arthritis d-a and b e- a,b, and c

41- about swallowing, all true except:
a-composed of voluntary and involuntary phases.
b-primary peristalsis is initiated at the pharynx
c-secondary peristalsis is initiated in the esophagus by reminiscent of food in the esophagus.
d- preceded by relaxation wave to open the lower esophageal sphincter.

e- closure of epiglottis is voluntary.***

42- a question about pepsin (wrong statement):

a) pepsin is activated by low PH

43- which of the following produce the highest metabolic rate:

a-sleep

b-hypothyrodism.

c-basal state.

d-fever ***

e- Malnutrition

44- which of the following is true about protein digestion:

a-digestion of protein is initiated at the mouth.

b-pepsin is secreted in active form.

c-pepsin is inactivated in duodenum by enterokinases.

d- digestion is continued by brush border enzymes, and intracellular enzymes. ***

e- more than one of the above

45- about pancreatic secretion, all true except:

a-CCK increase enzymatic production.

b- HCO3 and water production is increases by secretin

c- controlled by parasympathatic system.

d-effected by blood flow to pancreas.

e-decease HCO3 concentration during active secretion. ***

46- about enterohemorrhegic E.coli (whats wrong)

a- common in jordan

b-produce vero toxins

c- found in intestine of cows.

47- which of the following is wrong about typhoidal sallmonella :
a-incubation period is 1-3 days *** (weeks)
b- widal test is used for diagnosis
c-carrier have the organism in their gallbladder

48- which of the following produce neurotoxins: a- s.dysentery ***

49- most viral hepatitis with fulminent liver failar \rightarrow HDV 50- anal canal----lower part develps in the 9th week

51- the liver develops from all of the following EXCEPT:

a. endoderm of the gut.

b. umbalical vein sinuses.

c. cardinal sinuses.***

d. vitelline artery sinuses.

e. septum transersum.

52- in imperforate anus, it's associated with rectovesical fistula, the common cause is:

a. abscene of allantois.

b. dilatation of the hindgut.

c. failure in proctoderm depression.

d. defect in the urorectal septum.

53- all of the following happen during the rotaion of the stomach except:

a. the right part becomes posterior.

b. the ventral mesogastrum gives omental bursa ***

c. the posterior surface grows to be the greater curvature.

d. left vagus supplies the anterior part.

e. the proximal and distal ends come approximate to each other.

54- all of these concerning salmonella are true except:

a) it's incubation period is 1-3 days ***

b)cause meningitis

c)mostly infect human by water contamination

d) the carrier associated with gall bladder infection

e) widel test is used...

55- In pervaginal examination we can pulp all of the following except:

a-sigmoid colon

b-seminal vesicle ***

c-ureter

d- perineal body

e- urinary bladder.

56- all these parts of the GI contain simple columnar epithelium & goblet cells except

:

a- stomach ***

b- appendix

c- large intestines

d- Ilium and Jejinum.

57- The type of Hepatitis most commonly related to Chronicity is : HCV

58- Ground-glass appearance of Hepatocytes is seen in : HBV

59- Drug indudced liver diseases are mostly caused by : acetaminophen

60- All of the following regarding the rectus sheath is true except :

- a- 2 muscles
- b-2 epigastric arteries
- c- Lower intercostals nerves
- d- Ilioinguinal and iliohypogastric nerves ***
- e- Tendenious intersections

61- an injury to the ilio-inguinal nerve , might be associated with one of these types of hernia :

- a- direct hernia ***
- b- indirect hernia
- c- lumber hernia
- d- internal hernia
- e- incisional hernia

62- all the following statments about the abdominal sympathetic chain are true except :

- a- has 4-5 segmental ganglia
- b- the left chain lies on the left edge of the aorta
- c- the sympathetic fibers that innervates the sigmoid comes from the sup & inf mesenteric plexuses ***
- d- it pasess behind the medial arcuate ligament
- e it passes behind the common iliac vessels

63- all the following pass deep to the mylohyoid except

- A-lingual Artery
- B- hyoglossus nerve
- c- submandibular ganglion
- d-Nerve to mylohyoid ***
- e-submandibular Gut

64-4. wats related to V.parahaemolyticus:

- (A) gastroenteritis
- (B) rare sepsis ?
- (C) wound infection
- (D) a+b
- (E) a+b+c ***

65- histology of the parotid gland, all true except : presence of centroacinar cells

66- HAV and HEV are simillar in all of the following except : mortality rate (10x higher with HEV)

- 67- Portal system recieves blood from all these organs except:
- 1- pancrease
- 2- stomach
- 3- liver ***
- 4- doudenum
- 5- spleen